

according to a search condition set by the supervisor;

c) downloading the searched digital literary work from the Sharing Web to the main server, determining whether or not the identifier exists in the digital literary work, and deciding
5 the digital literary work to be "pass" or "fail" with respect to its shareability according to the determination result by the main server;

d) generating and storing information of a digital literary work to be shared by the main server against the
10 digital literary work decided to be "fail" as to its shareability among the digital literary works having the identifier, according to the literary work information requiring the protection of its copyright; and

e) accessing the Sharing Web, sharing a list of the
15 digital literary work to be shared, and transmitting the list to the user when a transmission request for the digital literary work to be shared from a predetermined Sharing Web user is received.

20 8. The method as set forth in claim 7, wherein at step d) if there is no search result value corresponding to the search condition, all the digital literary works having the identifier corresponding to the literary work requiring the protection of its copyright inputted by the supervisor are
25 determined to be shared.

9. The method as set forth in claim 7, further comprising the step of calculating a dilution ratio of the number of digital literary works decided to be "pass" as to its shareability to the total number of searched digital literary works.

10. The method as set forth in claim 7, wherein the digital literary work having the identifier is an advertising digital literary work, formally produced and distributed for publicity by a writer, a production and distribution company of the literary work, or a server managing company.

11. The method as set forth in claim 7, wherein the digital literary work having the identifier is the digital literary work edited with a reduction in its quality to a level lower than that of an original digital literary work.

12. The method as set forth in claim 7, wherein the digital literary work having the identifier is a digital literary work encrypted with a predetermined encryption key.

13. The method as set forth in claim 7, wherein the identifier is inserted into the digital literary work by a server managing company.

14. The method as set forth in claim 7, wherein the identifier is a watermark.

5 15. A method of sharing digital literary works while protecting against an illegal reproduction through a communication network, comprising the steps of:

10 a)inputting and storing literary work information requiring the protection of its copyright and a digital literary work having an identifier in a main server by a supervisor;

15 b)connecting the main server to an agent server mediating a Sharing Web by the main server, and searching for a digital literary work shared through the Sharing Web according to a search condition set by the supervisor;

20 c)downloading the searched digital literary work from the Sharing Web to the main server, determining whether or not the identifier exists in the digital literary work, and deciding the digital literary work to be "pass" or "fail" with respect to its shareability according to the determination result by the main server;

25 d)generating and storing information of a digital literary work to be shared by the main server against the digital literary work decided to be "fail" among the digital literary works having the identifier according to the literary